



**ANYTIME EVERYWHERE**

QINGDAO LANDSPIDER TIRE CORP.,LTD  
WWW.LANDSPIDERTIRE.COM



# TRUCK & BUS TIRES

## CATALOGUE 2027

MADE IN THAILAND






# MADE IN THAILAND



QINGDAO LANDSPIDER TIRE CORP.,LTD., established in 2012, is committed to sustainable development, as a professional PCR/TBR trading enterprise with 117 employees. By orderly planning, R&D, OEM, procurement, marketing, service, etc., the systematical operation and upgrading provides safe, scientific, green, and value-added tires/services for the global market in a long-term mode.

- > Build strong brand effects in other main markets;
- > Constantly updated product line;
- > 4.0 smart plant industry;
- > Excellent after-sales service.

## SIDEWALL DIAGRAM



## TIRE CONSTRUCTION



**4-layer steel belts structure technology(FLST)**


SIDEWALL: 1 STEEL LAYER  
TREAD: 5 STEEL LAYER



**Zero degree steel belts structure technology(ZDST)**

SIDEWALL: 1 STEEL LAYER  
TREAD: 4 STEEL LAYER

FLST & ZDST are two leading technology for TBR engineering nowadays. LANDSPIDER, according to service conditons from local market, applies the better one to improve the satisfaction of cumstomers.



**Jointless steel wire wrapping structure technology(JWWT)**

Optimizes the shape of the contact patch for longer tread life and strengthens the crown against shocks and impacts, especially for widebase or super single loading sizes.



ALL ROUTES+

# SMARTRAXX SA1000




M+S

The latest generation of high-performance steer position tire for national and regional operations.



## TECHNICAL FEATURE



### 1 CURVED GROOVE DESIGN

Four curved tread grooves ensure good drainage performance.

### 2 OPTIMIZED PITCH DESIGN

Special designed tread pitches ensure low external noise.

### 3 MULTI KERF DESIGN

Multi kerf provides outstanding traction on wet and snow road surface.



## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |   |   |   | dB |   | M+S |
|-------------|----|--------------------|------------------|---|---|---|----|---|-----|
| 295/80R22.5 | 18 | 154/149M           | 14               | C | C | B | 73 | ✓ | ✓   |
| 315/70R22.5 | 20 | 156/150L(152/148M) | 15               | C | C | B | 73 | ✓ | ✓   |
| 315/80R22.5 | 20 | 156/153L(154/151M) | 16               | C | C | B | 73 | ✓ | ✓   |
| 315/80R22.5 | 22 | 156/153L(154/151M) | 16               | C | C | B | 73 | ✓ | ✓   |
| 385/55R22.5 | 20 | 160K(158L)         | 15               | B | B | B | 73 | ✓ | ✓   |
| 385/65R22.5 | 20 | 160K(158L)         | 15               | B | C | B | 73 | ✓ | ✓   |
| 385/65R22.5 | 24 | 164K               | 15               | B | C | B | 73 | ✓ | ✓   |

# SMARTRAXX DA2000



The latest generation of high-performance drive position tire for national and regional operations.



## TECHNICAL FEATURE



- 1

**DEEP TREAD DESIGN**  
Deep tread depth improves traction and grip on the road and extends tire life.
- 2

**OPTIMIZED MULTI-BLOCK DESIGN**  
Optimized deep multi-blocks pattern design provides ultra driving force.
- 3

**WIDE TREAD OPTIMIZES**  
Widened tread width enhances driving stability and provides even pressure distribution.




## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |  |  |  |  |  | M+S |
|-------------|----|--------------------|------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----|
| 295/80R22.5 | 18 | 152/149M           | 19               | D                                                                                     | C                                                                                     | B                                                                                     | 75                                                                                    | ✓                                                                                     | ✓   |
| 315/70R22.5 | 20 | 154/150L(152/148M) | 19               | D                                                                                     | C                                                                                     | B                                                                                     | 75                                                                                    | ✓                                                                                     | ✓   |
| 315/80R22.5 | 20 | 156/153L(154/151M) | 21               | D                                                                                     | C                                                                                     | B                                                                                     | 75                                                                                    | ✓                                                                                     | ✓   |
| 315/80R22.5 | 22 | 156/153L(154/151M) | 21               | D                                                                                     | C                                                                                     | B                                                                                     | 75                                                                                    | ✓                                                                                     | ✓   |

# THE LONG HAUL SERIES

- Long distance journey with constant speed and less braking and accelerating.
- Less fuel consumption and comfortable ride.
- High mileage performance.



## Special low heat compound design

Special compound design, low heat generation during tire running, low CO<sub>2</sub>, energy saving and environmental protection.



## Optimized pattern design

The optimized design of pattern, high land-sea ratio pattern design effectively reduce the rolling resistance of tires, more fuel efficient.



## Advanced tire design theory

Advanced tire design concepts, make the tire longevity, green and safety.



**SMARTRAXX  
SL8000**

**SMARTRAXX  
DL9000**

**SMARTRAXX  
TL3000**

**LONGTRAXX  
AP300**



**LONGTRAXX  
AP600**

**LONGTRAXX  
DR660**

**LONGTRAXX  
DR660+**

**LONGTRAXX  
HT700**

**LONGTRAXX  
HT900**



LONG HAUL

# SMARTRAXX SL8000




M+S

The latest generation of high-performance  
steer tire for long haul application.



## TECHNICAL FEATURE



### 1 OPTIMIZED GROOVES DESIGN

Advanced 3 grooves tread provides even wear and remarkable handling.

### 2 WIDE TREAD OPTIMIZES

Wider tread and higher saturation, provides longer mileage and more driving stability.

### 3 LOW ROLLING RESISTANCE COMPOUND

Special tread compound guarantees less fuel consumption with lower rolling resistance.



## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |   |   |   |    |   |   | M+S |
|-------------|----|--------------------|------------------|---|---|---|----|---|---|-----|
| 315/60R22.5 | 20 | 154/150L(152/148M) | 11               | B | C | B | 74 | ✓ | ✓ | ✓   |
| 315/70R22.5 | 20 | 156/150L(152/148M) | 12               | B | C | B | 74 | ✓ | ✓ | ✓   |
| 385/55R22.5 | 20 | 160K(158L)         | 15               | B | C | B | 74 | ✓ | ✓ | ✓   |



LONG HAUL

# SMARTRAXX DL9000




M+S

The latest generation of high-performance drive tire for long haul application.



## TECHNICAL FEATURE



- 1 WIDE TREAD OPTIMIZES**  
Wider tread and higher saturation, provides longer mileage and more driving stability.
- 2 HIDDEN GROOVE DESIGN**  
As hidden grooves appear at the end of wear, it keeps wet grip and traction performance.
- 3 SPECIAL TREAD COMPOUND**  
Special tread compound guarantees less fuel consumption with lower rolling resistance.



## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |   |   |   | dB |   | M+S |
|-------------|----|--------------------|------------------|---|---|---|----|---|-----|
| 295/60R22.5 | 18 | 150/147K(149/146L) | 13.5             | B | C | B | 74 | ✓ | ✓   |
| 315/60R22.5 | 20 | 154/150K(152/148L) | 14               | B | B | B | 74 | ✓ | ✓   |
| 315/70R22.5 | 20 | 154/150L(152/148M) | 13.5             | B | C | B | 74 | ✓ | ✓   |



# SMARTRAXX TL3000




M+S

Wide base trailer tire specially design for  
trailer service.



## TECHNICAL FEATURE



**1 WIDE GROOVES**  
The pattern with two main  
channel grooves and wider  
ribs maximizes.

**2 HIDDEN GROOVE DESIGN**  
The robust shoulder ribs  
provide driving stability and  
prevent uneven wear.

**3 SPECIAL TREAD COMPOUND**  
Low rolling resistance compound  
reduces the loss of energy and  
results in.



## SIZE RANGE



|            | SIZE        | PR | LI/SS      | TREAD DEPTH<br>(mm) |   |   |   |    |   | M+S |
|------------|-------------|----|------------|---------------------|---|---|---|----|---|-----|
| tread<br>A | 385/55R22.5 | 20 | 160K(158L) | 15                  | B | C | B | 74 | ✓ | ✓   |
|            | 385/65R22.5 | 20 | 160K(158L) | 15                  | B | C | B | 74 | ✓ | ✓   |
|            | 385/65R22.5 | 24 | 164K       | 15                  | B | C | B | 74 | ✓ | ✓   |
| tread<br>B | 435/50R19.5 | 20 | 160J(156K) | 12                  | B | C | B | 74 | ✓ | ✓   |
|            | 445/45R19.5 | 20 | 160J       | 12                  | B | B | B | 74 | ✓ | ✓   |




# LONGTRAXX AP300

M+S



## TECHNICAL FEATURE



- 1

**MULTI KERF DESIGN**  
Better traction, increased mileage, controlled tearing and wearing with less irregular wear.
- 2

**WIDE TREAD AND SHOULDER DESIGN**  
Longer mileage and better handling performance.



## SIZE RANGE



| SIZE        | PR | LI/SS    | TREAD DEPTH (mm) |   |   |   | dB |   | M+S |
|-------------|----|----------|------------------|---|---|---|----|---|-----|
| 315/80R22.5 | 22 | 160/157L | 15.5             | C | B | B | 71 | - | ✓   |
| 315/80R22.5 | 22 | 161/157K | 15.5             | C | B | B | 71 | - | ✓   |
| 385/65R22.5 | 24 | 164K     | 16.0             | C | B | B | 71 | - | ✓   |



LONG HAUL


# LONGTRAXX AP600



M+S



## TECHNICAL FEATURE



- 1 MULTI KERF DESIGN**  
Better traction, increased mileage, controlled tearing and wearing with less irregular wear.
- 2 STONE EJECTOR**  
Stone ejectors ensure grooves are kept clear at all times by using an additional rubber material to force unwanted debris out.
- 3 WIDE TREAD AND SHOULDER DESIGN**  
Longer mileage and better handling performance.



## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |   |   |   |    |   |   | M+S |
|-------------|----|--------------------|------------------|---|---|---|----|---|---|-----|
| 215/75R17.5 | 14 | 128/126M           | 12.6             | D | B | A | 70 | ✓ | ✓ |     |
| 215/75R17.5 | 16 | 135/133K           | 13.0             | D | B | A | 72 | ✓ | ✓ |     |
| 235/75R17.5 | 16 | 132/130M           | 13.0             | D | B | A | 70 | ✓ | ✓ |     |
| 235/75R17.5 | 18 | 143/141K           | 13.0             | D | B | A | 72 | ✓ | ✓ |     |
| 245/70R19.5 | 16 | 136/134M           | 14.0             | D | B | A | 70 | ✓ | ✓ |     |
| 295/60R22.5 | 18 | 150/147K           | 15.5             | C | B | A | 70 | ✓ | ✓ |     |
| 295/80R22.5 | 18 | 154/149M           | 14.5             | C | B | A | 70 | ✓ | ✓ |     |
| 315/60R22.5 | 20 | 154/148L           | 13.1             | D | B | A | 70 | ✓ | ✓ |     |
| 315/70R22.5 | 20 | 154/151M(156/150M) | 14.5             | C | B | A | 70 | ✓ | ✓ |     |
| 315/80R22.5 | 20 | 157/154L           | 14.5             | C | B | A | 70 | ✓ | ✓ |     |
| 385/65R22.5 | 24 | 164K               | 15.5             | D | B | B | 72 | ✓ | ✓ |     |



LONG HAUL


# LONGTRAXX DR660



M+S



## TECHNICAL FEATURE



- 1 ZIGZAG TRACTION GROOVES AND OPTIMIZED MULTI-ANGULAR SIPES**  
Improved traction and braking performance through expansion of 3 zigzag grooves. The unique sipe design prevents chipping and cutting.

- 2 COMBINATION STRUCTURE OF RIB AND 6 ANGLE BLOCK PATTERN**  
Stone ejectors ensure grooves are kept clear at all times by using an additional rubber material to force unwanted debris out.

- 3 FINE KERFS DESIGN**  
Fine kerfs design controls tearing and wearing of hidden grooves and help keep good traction during whole life.



## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |   |   |   |    |   | M+S |
|-------------|----|--------------------|------------------|---|---|---|----|---|-----|
| 215/75R17.5 | 14 | 128/126M           | 15               | E | C | B | 75 | ✓ | ✓   |
| 235/75R17.5 | 16 | 132/130M           | 15.5             | E | C | B | 75 | ✓ | ✓   |
| 245/70R19.5 | 16 | 136/134M           | 15.5             | E | C | B | 75 | ✓ | ✓   |
| 295/60R22.5 | 18 | 150/147K           | 20.5             | D | C | B | 75 | ✓ | ✓   |
| 295/80R22.5 | 18 | 154/149M           | 20               | D | C | B | 75 | ✓ | ✓   |
| 315/60R22.5 | 20 | 154/148L           | 19.4             | D | C | B | 75 | ✓ | ✓   |
| 315/70R22.5 | 20 | 154/151M(156/150M) | 18.5             | D | C | B | 75 | ✓ | ✓   |
| 315/80R22.5 | 20 | 157/154L           | 20.2             | D | C | B | 75 | ✓ | ✓   |



LONG HAUL


# LONGTRAXX DR660+



M+S



## TECHNICAL FEATURE



- 1 WIDE TREAD OPTIMIZES**  
Longer mileage and better handling performance.
- 2 BLOCK DESIGN**  
Improves grip with better traction, increases mileage and enhances handling performance.
- 3 ZIGZAG TRACTION GROOVES AND OPTIMIZED MULTI-ANGULAR SIPES**  
Improved traction and braking performance through expansion of 3 zigzag grooves. The unique sipe design prevents chipping and cutting.



## SIZE RANGE



| SIZE        | PR | LI/SS    | TREAD DEPTH (mm) |   |   |   |    |   | M+S |
|-------------|----|----------|------------------|---|---|---|----|---|-----|
| 315/80R22.5 | 22 | 160/157L | 21.3             | E | C | B | 75 | ✓ | ✓   |
| 315/80R22.5 | 22 | 161/157K | 21.3             | E | C | B | 75 | ✓ | ✓   |



LONG HAUL


# LONGTRAXX HT700



M+S



## TECHNICAL FEATURE



- 1 OPTIMAL WAVED GROOVES**  
Adoption of optimal waved grooves for maximum stability and better water dispersal. unique sipe design prevents chipping and cutting.
- 2 KERFS DESIGN**  
Full-depth kerfs offer exceptional traction throughout the usable life of the tire. blocks, thereby improving durability.
- 3 WIDE SHOULDER RIB**  
Improved traction and braking performance through expansion of 3 zigzag grooves. The unique sipe design prevents chipping and cutting.



## SIZE RANGE



| SIZE        | PR | LI/SS      | TREAD DEPTH (mm) |   |   |   |    |   | M+S |
|-------------|----|------------|------------------|---|---|---|----|---|-----|
| 385/55R22.5 | 20 | 160K       | 15.0             | B | B | A | 72 | ✓ | ✓   |
| 385/65R22.5 | 20 | 160K(158L) | 15.5             | B | B | A | 69 | ✓ | ✓   |
| 385/65R22.5 | 24 | 164K       | 15.5             | B | B | A | 72 | ✓ | ✓   |



LONG HAUL


# LONGTRAXX HT900



M+S



## TECHNICAL FEATURE



- 1 MULTI KERFS DESIGN**  
The multi kerfs prevent irregular wear from external forces and provide a rib's stiffness.
- 2 WIDE SHOULDER RIB**  
Adoption of wider tread provides maximum wear resistance and longer mileage. The robust shoulder ribs provide driving stability and prevent irregular wear.
- 3 OPTIMAL LINEAR GROOVES**  
Adoption of 4 optimal linear grooves provides maximum stability, better water dispersal and low noise level.




## SIZE RANGE



| SIZE        | PR | LI/SS | TREAD DEPTH (mm) |   |   |   |    |   | M+S |
|-------------|----|-------|------------------|---|---|---|----|---|-----|
| 435/50R19.5 | 22 | 160J  | 13.5             | C | A | B | 72 | ✓ | ✓   |
| 445/45R19.5 | 22 | 160J  | 13.5             | C | A | B | 72 | ✓ | ✓   |

# THE REGIONAL SERIES

- Shorter journey with frequent braking, accelerating and turning.
- Improved road grip with maximum mileage.
- Exceptional tough type.



## Shoulder Rigidity Reinforced Design

By optimizing the overall material distribution of the tire, the rigidity and handling stability of the tire have been greatly improved.



## Ultra-High Tensile Cord

The UHT carcass cords provide better anti-deformation performance for the tire, while at the same time better dispersing the pressure and significantly increasing the safety performance of the tire.



## Upgraded security features

Excellent stability and durability, even in challenging weather conditions.



**SMARTRAXX  
AR6000**

**SMARTRAXX  
DR7000**

**SMARTRAXX  
TR5000**





REGIONAL

# SMARTRAXX AR6000




M+S

New steer tire engineered with innovative latest technology for local and regional operations with rims of 17.5" and 19.5".



## TECHNICAL FEATURE



**1 OPTIMIZED RIB DESIGN**  
Computer designed 5-Rib tread provides precise handling.

**2 OPTIMIZED SIPE AND GROOVE DESIGN**  
Tread sipes alongside tread grooves offer outstanding wet operation and even tread contact on road surface.

**3 HIGH-RIGIDITY BELT STRUCTURE**  
The high, rigid belt structure enhances driving stability.



## SIZE RANGE



| SIZE        | PR | LI/SS              | TREAD DEPTH (mm) |   |   |   | dB |   | M+S |
|-------------|----|--------------------|------------------|---|---|---|----|---|-----|
| 205/75R17.5 | 14 | 124/122M(126/124G) | 12               | D | C | B | 72 | ✓ | ✓   |
| 215/75R17.5 | 14 | 128/126M           | 13               | D | C | B | 72 | ✓ | ✓   |
| 215/75R17.5 | 16 | 135/133J           | 13               | D | C | B | 72 | ✓ | ✓   |
| 225/75R17.5 | 14 | 129/127M           | 13               | D | C | B | 72 | ✓ | ✓   |
| 235/75R17.5 | 14 | 132/130M           | 14               | D | C | B | 72 | ✓ | ✓   |
| 235/75R17.5 | 16 | 143/141J           | 14               | D | C | B | 72 | ✓ | ✓   |
| 235/75R17.5 | 18 | 143/141J           | 14               | D | C | B | 72 | ✓ | ✓   |
| 245/70R17.5 | 16 | 136/134M           | 13               | D | C | B | 72 | ✓ | ✓   |
| 245/70R17.5 | 18 | 143/141J           | 13               | D | C | B | 72 | ✓ | ✓   |
| 245/70R19.5 | 16 | 136/134M           | 13               | D | C | B | 72 | ✓ | ✓   |
| 245/70R19.5 | 18 | 141/140J           | 13               | D | C | B | 72 | ✓ | ✓   |
| 265/70R19.5 | 16 | 140/138M           | 13               | D | C | B | 72 | ✓ | ✓   |
| 265/70R19.5 | 18 | 143/141J           | 13               | D | C | B | 72 | ✓ | ✓   |
| 285/70R19.5 | 16 | 146/144M           | 13               | D | B | B | 72 | ✓ | ✓   |
| 285/70R19.5 | 18 | 150/148J           | 13               | D | C | B | 72 | ✓ | ✓   |



# SMARTRAXX DR7000



M+S

New drive tire designed for local and regional application with rims of 17.5" and 19.5".



## TECHNICAL FEATURE



- 1 WIDE TREAD & GROOVE DESIGN**  
Wide tread with grooves enables high mileage and excellent driving performance in variable conditions.
- 2 LOW ROLLING RESISTANCE TREAD DESIGN**  
Special tread pattern design for low rolling resistance and excellent traction performance across multi applications.
- 3 OPTIMIZED FOOTPRINT DESIGN**  
Excellent footprint design promises even wear and remarkable tire life.



## SIZE RANGE



| SIZE        | PR | LI/SS    | TREAD DEPTH (mm) |   |   |   | dB |   | M+S |
|-------------|----|----------|------------------|---|---|---|----|---|-----|
| 205/75R17.5 | 14 | 124/122M | 15               | D | C | A | 73 | ✓ | ✓   |
| 215/75R17.5 | 14 | 128/126M | 15               | D | C | A | 73 | ✓ | ✓   |
| 225/75R17.5 | 14 | 129/127M | 16               | D | C | A | 73 | ✓ | ✓   |
| 235/75R17.5 | 14 | 132/130M | 16               | D | C | A | 73 | ✓ | ✓   |
| 245/70R17.5 | 16 | 136/134M | 15               | D | C | A | 73 | ✓ | ✓   |
| 245/70R19.5 | 16 | 136/134M | 15               | D | C | A | 73 | ✓ | ✓   |
| 265/70R19.5 | 16 | 140/138M | 16               | D | C | A | 73 | ✓ | ✓   |
| 285/70R19.5 | 16 | 146/144M | 16               | D | C | A | 73 | ✓ | ✓   |



REGIONAL

# SMARTRAXX TR5000




M+S

Good damage protection and even wear profile feature outstanding performance in all conditions.



## TECHNICAL FEATURE



- 1 FOUR ZIGZAG GROOVE DESIGN**  
Four grooves with zigzag designed provide excellent stone ejection and groove crack prevention.
- 2 WIDE & SOLID SHOULDER DESIGN**  
Wide and solid shoulder design guarantee long mileage.
- 3 LOW ROLLING RESISTANCE COMPOUND**  
Special tread compound guarantees less fuel consumption with lower rolling resistance.



### SIZE RANGE



| SIZE        | PR | LI/SS      | TREAD DEPTH (mm) |   |   |   | dB |   | M+S |
|-------------|----|------------|------------------|---|---|---|----|---|-----|
| 385/65R22.5 | 20 | 160K(158L) | 15               | C | C | B | 72 | ✓ | ✓   |
| 385/65R22.5 | 24 | 164K       | 15               | C | C | B | 72 | ✓ | ✓   |
| 425/65R22.5 | 20 | 165K       | 16               | C | C | B | 72 | ✓ | ✓   |
| 445/65R22.5 | 20 | 169K       | 16               | C | C | B | 72 | ✓ | ✓   |